

**BEBON**

BebonChina.com

Henan BEBON international co.,ltd**JIS G 3131 SPHE steel plate/sheet for stamping and cold forming steels**

JIS G3131 SPHE steel plate/sheet, JIS G3131 SPHE steel plate/sheet, under JIS standard, we can regard SPHE steel plate/sheet as stamping and cold forming steels. JIS G3131 SPHE is mainly used as stamping and cold forming steels.

JIS G3131 SPHE steel plate/sheet is stamping and cold forming steels, which under specification of JIS G3131 standard. The yield strength of SPHE is 270MPa.

Chemical composition, unit% of JIS SPHE steel

Symbol	Chemical composition			
	C max	Mn max	P max	S max
SPHE	0.10	0.50	0.030	0.035

Mechanical properties of JIS SPHE steel

Tensile strength N/mm ² min	Elongation% min						Tensile test piece	Bendability			
	≥1.2 <1.6m m	≥1.6 <2m m	≥2 <2.5m m	≥2.5 <3.2m m	≥3.2 <4mm	≥4m m		Bending angle	Inside Radius		Test piece
									<3.2 mm	≥3.2 mm	
270	31	33	35	37	39	41	No.5 in rolling direction	-	-	-	No.3 in rolling direction

Bebon steel — The most professional exporter on shipbuilding steel

Tel:0086-371-86151527

E-mail:bb@bebonchina.com

Fax:0086-371-86011881

MSN:bebonchina@hotmail.com

Skype:bebonchina

Web:http://www.shipbuilding-steel.com

Oficina Dir: 2801 B# International enterprise center Zhengzhou city in China.